



# Other appliance

# Heater

## GLASS series



### **MODEL: ERN15EH**

#### **Features**

- ◆ Remote controller
- ◆ Room temperature adjustment
- ◆ Auto power shut off when fall
- ◆ 24 hours and timer setting ability
- ◆ Auto-shut off protection when overheat
- ◆ IP24 fully waterproof for safe usage
- ◆ X-shaped heating element. Expedite the heating process and longer lifespan. The concealed heating system allows safe usage.
- ◆ High/Low thermostat setting allows energy and electricity savings.
- ◆ Wall mounting and free standing

#### **Parameter**

Output power: 1500W/750W

Voltage: 220-240V/50Hz

Product size: 604\*450\*100mm (W\*H\*D)

Package size: 680\*530\*140mm (W\*H\*D)

Net weight: 5.1KG

Gross weight: 6.3KG



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL: (0086)750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com



### MODEL:ERN10EH

#### Features

- ◆ Remote controller
- ◆ Room temperature adjustment
- ◆ Auto power shut off when fall
- ◆ 24 hours and timer setting ability
- ◆ Auto-shut off protection when overheat
- ◆ IP24 fully waterproof for safe usage
- ◆ X-shaped heating element. Expedite the heating process and longer lifespan.
- ◆ High/Low thermostat setting allows energy and electricity savings.
- ◆ Wall mounting and free standing

#### Parameter

Output power: 1000W/500W  
Voltage: 220-240V/50Hz  
Product size: 470\*450\*100mm (W\*H\*D)  
Package size: 545\*530\*140mm  
Net weight: 4KG  
Gross weight: 5KG



### MODEL:ERN20EH

#### Features

- ◆ Remote controller
- ◆ Room temperature adjustment
- ◆ Auto power shut off when fall
- ◆ 24 hours and timer setting ability
- ◆ Auto-shut off protection when overheat
- ◆ IP24 fully waterproof for safe usage
- ◆ X-shaped heating element. Expedite the heating process and longer lifespan.
- ◆ High/Low thermostat setting allows energy and electricity savings.
- ◆ Wall mounting and free standing

#### Parameter

Output power: 2000W/1000W  
Voltage: 220-240V/50Hz  
Product size: 807\*450\*100mm (W\*H\*D)  
Package size: 882\*530\*140mm (W\*H\*D)  
Net weight: 7.5KG  
Gross weight: 8.9KG



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL:(0086)750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com

# Heater

## CLASSICAL series



### MODEL:ERN15CL

#### Features:

- ◆ Mechanical control
- ◆ Room temperature adjustment
- ◆ Smooth and consistent air flow
- ◆ Noiseless, Odourless and Environmental free
- ◆ IP24 fully waterproof for safe usage
- ◆ X-shaped heating element. Expedite the heating process and longer lifespan. The concealed heating system allows safe usage.
- ◆ High/Low power setting allows energy and electricity savings.
- ◆ Wall mounting and free standing

#### Optional features:

- ◆ Digital LED control

#### Parameter

Output power: 1500W/750W

Voltage: 220-240V/50Hz

Product size: 595\*400\*75mm (W\*H\*D)

Package size: 675\*445\*125mm (W\*H\*D)

Net weight: 4.3KG

Gross weight: 5.3KG



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL: (0086)750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com



### MODEL:ERN10CL

#### Features:

- ◆ Room temperature adjustment
- ◆ Smooth and consistent air flow
- ◆ Noiseless, Odourless and Environmental free
- ◆ IP24 fully waterproof for safe usage
- ◆ X-shaped heating element. Expedite the heating process and longer lifespan.
- ◆ High/Low power setting allows energy and electricity savings.
- ◆ Wall mounting and free standing

#### Optional features:

- ◆ Digital LED control

#### Parameter

Output power: 1000W/500W

Voltage: 220-240V/50Hz

product size: 460\*400\*75mm (W\*H\*D)

Package size: 540\*445\*125mm (W\*H\*D)

Net weight: 3.6KG

Gross weight: 4.6KG



### MODEL:ERN22CL

#### Features:

- ◆ Room temperature adjustment
- ◆ Smooth and consistent air flow
- ◆ Noiseless, Odourless and Environmental free
- ◆ IP24 fully waterproof for safe usage
- ◆ X-shaped heating element. Expedite the heating process and longer lifespan.
- ◆ High/Low power setting allows energy and electricity savings.
- ◆ Wall mounting and free standing

#### Optional features:

- ◆ Digital LED control

#### Parameter

Output power: 2200W/1200W

Voltage: 220-240V/50Hz

Product size: 940\*400\*75mm (W\*H\*D)

Package size: 1020\*445\*125mm (W\*H\*D)

Net weight: 6KG

Gross weight: 7.5KG



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL:(0086)750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com

# Heater

## Healthy series



### MODEL:ERN15HY

#### Features:

- ◆ Digital LED control
- ◆ Room temperature adjustment
- ◆ Auto power shut off when fall
- ◆ 24 hours and timer setting
- ◆ Auto shut off protection when overheat
- ◆ Smooth and consistent air flow
- ◆ Noiseless, Ordourless and Environmental free
- ◆ IP24 fully waterproof for safe usage
- ◆ X-shaped heating element. Expedite the heating process and longer lifespan. The concealed heating system allows safe usage.
- ◆ High/Low power setting allows energy and electricity savings.
- ◆ Wall mounting and free standing

#### Parameter

Output power: 1500W/750W  
Voltage: 220-240V/50Hz  
Product size: 605\*400\*76mm (W\*H\*D)  
Package size: 685\*445\*125mm (W\*H\*D)  
Net weight: 4.5KG  
Gross weight: 5.7KG



### MODEL:ERN20HY

#### Features:

- ◆ Digital LED control
- ◆ Room temperature adjustment
- ◆ Auto power shut off when fall
- ◆ 24 hours and timer setting
- ◆ Auto shut off protection when overheat
- ◆ Smooth and consistent air flow
- ◆ Noiseless, Ordourless and Environmental free
- ◆ IP24 fully waterproof for safe usage
- ◆ X-shaped heating element. Expedite the heating process and longer lifespan. The concealed heating system allows safe usage.
- ◆ High/Low power setting allows energy and electricity savings.
- ◆ Wall mounting and free standing

#### Parameter

Output power: 2000W/1000W  
Voltage: 220-240V/50Hz  
Product size: 835\*400\*76mm (W\*H\*D)  
Package size: 915\*445\*125mm (W\*H\*D)  
Net weight: 6.0KG  
Gross weight: 7.5KG



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL:(0086)750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com



# LCD series



## MODEL:ERN10L

### Features:

- ◆ Big LCD display panel, easy to see and operate
- ◆ Room temperature adjustment
- ◆ Auto power shut off when fall
- ◆ 24 hours and timer setting ability
- ◆ Auto-shut off protection when overheat.
- ◆ IP24 fully waterproof for safe usage
- ◆ X-shaped heating element. Expedite the heating process and longer lifespan. The concealed heating system allows safe usage.
- ◆ High/Low thermostat setting allows energy and electricity savings.
- ◆ Wall mounting and free standing

### Parameter

Output power: 1000W/500W  
Voltage: 220-240V/50Hz  
Product size: 598\*400\*76mm (W\*H\*D)  
Package size: 645\*445\*125mm (W\*H\*D)  
Net weight: 4.5KG  
Gross weight: 5.5KG



## MODEL:ERN15L

### Features:

- ◆ Big LCD display panel, easy to see and operate
- ◆ Room temperature adjustment
- ◆ Auto power shut off when fall
- ◆ 24 hours and timer setting ability
- ◆ Auto-shut off protection when overheat.
- ◆ IP24 fully waterproof for safe usage
- ◆ X-shaped heating element. Expedite the heating process and longer lifespan. The concealed heating system allows safe usage.
- ◆ High/Low thermostat setting allows energy and electricity savings.
- ◆ Wall mounting and free standing

### Parameter

Output power: 1500W/750W  
Voltage: 220-240V/50Hz  
Product size: 733\*400\*76mm (W\*H\*D)  
Package size: 780\*445\*125mm (W\*H\*D)  
Net weight: 5.3KG  
Gross weight: 6.5KG



**GUANGDONG SUNIDEA COMPANY LIMITED**

115, NO. 11 HUICHENG QIAOLE ROAD, XINHUI DISTRICT JIANGMEN CITY GUANGDONG, CHINA.

TEL: (0086) 750 6130021 FAX: (0086) 750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com

# Clothes Dryer

## Clothes dryer series



### MODEL:ERN1000

#### Features

- ◆ Maximum clothes weight of drying: 10kg
- ◆ Mechanical control, 180 minutes timer
- ◆ PTC heater
- ◆ Aluminum brackets
- ◆ PU clothes cover

#### Optional features:

- ◆ Metal racks added on the middle of the bracket
- ◆ More clothespins added on the top hanger

Package: 4pcs/carton

Loading: 20GP: 720pcs, 40HQ: 1840pcs

#### Parameter

Voltage: 220-240V/50Hz

Output power: 900W

Net weight: 4kg

Gross weight: 4.5kg

Dimensions: height 1500mm, width 660mm

Gift box package size: L\*W\*H:50\*28.5\*26CM

### MODEL:ERN90R

#### Features

- ◆ Maximum clothes weight of drying: 15kg
- ◆ Mechanical control, 180 minutes timer
- ◆ PTC heater
- ◆ Aluminum brackets
- ◆ PU clothes cover

Package: 4pcs/carton

Loading: 20GP: 512pcs, 40HQ: 1216pcs

#### Parameter

Voltage: 220-240V/50Hz

Output power: 900W

Net weight: 4.2kg

Gross weight: 5.3kg

Dimensions: height 1550mm, width 700mm, depth 400mm

Gift box package size: L\*W\*H: 70.5\*28.5\*24.0CM



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL: (0086)750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com



# Mini Fridges

## Thermoelectric fridge series



### **MODEL:YJ-TE17CH**

#### **Features**

- ◆ Cools to 2°C and warms to 65°C by set-point thermostat
- ◆ No noise, environmental free, power consumption 40-60W
- ◆ Full polyurethane-foam lining without CFC
- ◆ AC/DC version

#### **Parameter**

Voltage: AC220-240V/50HZ DC 12V 50W  
Power: 40-60W  
Capacity: 17L  
Highest temperature: 85-90°C  
Cool down by: 15-17°C  
product dimension: 276 x 343 x 450mm  
Inside cavity dimension: 209 x 216 x 380mm  
Product weight: 6.5kg



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL: (0086)750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com



**MODEL:YJ-TE06CH**



**Features**

- ◆ Cools to 2°C and warms to 65°C by set-point thermostat
- ◆ No noise, environmental free, power consumption 40-60W
- ◆ Full polyurethane-foam lining without CFC
- ◆ AC/DC version

**Parameter**

Voltage: AC220-240V/50HZ DC 12V 50W  
Power: 40-60W  
Capacity: 6L  
Highest temperature: 85-90°C  
Cool down by: 15-17°C  
product dimension: 210 x 250 x 310mm  
Inside cavity dimension: 136 x 136 x 265mm  
Product weight: 3.5kg

**MODEL:YJ-TE20CH**



**Features**

- ◆ Cools to 2°C and warms to 65°C by set-point thermostat
- ◆ No noise, environmental free, power consumption 40-60W
- ◆ Full polyurethane-foam lining without CFC
- ◆ AC/DC version

**Parameter**

Voltage: AC220-240V/50HZ DC 12V 50W  
Power: 40-60W  
Capacity: 20L  
Highest temperature: 85-90°C  
Cool down by: 15-17°C  
product dimension: 276 x 343 x 450mm  
Inside cavity dimension: 215 x 216 x 380mm  
Product weight: 6.5kg



# Mini Fridges

## Compressor mini fridge series



**MODEL:RS-06DR4SA**

### Features

- Energy efficiency class A+
- Reversible door
- Broad climate design
- Environment-friendly technology
- Mechanical control with adjustable thermostat
- Low noise design
- Adjustable legs

### Parameter

- Type: Fridge
- Total Net Capacity: 46L
- Freezer Capacity: 5L
- Refrigerator Capacity: 41L
- Net Dimensions (W\*D\*H mm): 439\*470\*510
- Loading Capacity (20Ft/40Ft/40HC): 220/480/569



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL: (0086)750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com



### **MODEL:RS-04DC4S1**

#### **Features**

- Energy efficiency class A+
- Reversible door
- Broad climate design
- Environment-friendly technology
- Mechanical control with adjustable thermostat
- Low noise design
- Adjustable legs

#### **Parameter**

- Type: Freezer
- Total Net Capacity: 30L
- Freezer Capacity: 30L
- Net Dimensions (W\*D\*H mm): 439\*470\*510
- Loading Capacity (20Ft/40Ft/40HC): 220/480/569



# Juice Extractor

## Juice extractor series



### **MODEL:ERN12J**

#### **Features**

- ◆ 1000W DC motor with low noise
- ◆ Full stainless steel chute with extra large 84mm diameter
- ◆ Straight-line design with great aesthetic value
- ◆ Intelligent variable speed control
- ◆ 5 speeds LCD display
- ◆ Strong Aluminum alloy locking arm
- ◆ 750ML juice jug with froth separator
- ◆ Removable stainless steel blade for easy cleaning
- ◆ Stainless steel micromesh filter basket for high efficient extracting
- ◆ Safety interlocking switch stops juicer operating while improperly install

#### **Parameter**

Voltage: 220-240V/50HZ

Power: 1000W



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL: (0086 )750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com



### **MODEL:JE901**

#### **Features**

- ◆ 2 speed switch
- ◆ Strong locking arm
- ◆ Extra large feed chute with 75mm diameter
- ◆ Removable stainless steel blade for easy cleaning
- ◆ Safety interlocking switch stops juicer operation while improperly install

Optional feature:

- ◆ Extra blender cup to use as a blender

#### **Parameter**

Voltage: 220-240V/50HZ

Power: 600W

### **MODEL:KP60SB**

#### **Features**

- ◆ 2 speed switch with pulse
- ◆ Extra large feed chute with 75mm diameter
- ◆ Stainless steel body
- ◆ Anti-drip juice spout
- ◆ Removable stainless steel blade for easy cleaning
- ◆ Safety interlocking switch stops juicer operation while improperly install

Optional feature:

- ◆ Extra blender cup to use as a blender

#### **Parameter**

Voltage: 220-240V/50HZ

Power: 800W



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL: (0086)750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com

# Juice Extractor

## MODEL:KP60SBR



### Features

- ◆ 2 speed switch with pulse
- ◆ Extra large feed chute with 75mm diameter
- ◆ Stainless steel body
- ◆ Anti-drip juice spout
- ◆ Removable stainless steel blade for easy cleaning
- ◆ Safety interlocking switch stops juicer operation while improperly install

### Optional feature:

- ◆ Extra blender cup to use as a blender

### Parameter

Voltage: 220-240V/50HZ  
Power: 800W

## MODEL:KP60SB

### Features

- ◆ 9 speed LCD display
- ◆ Intelligent variable control
- ◆ Extra large feed chute with 75mm diameter
- ◆ Strong metal locking arm
- ◆ Anti-drip juice spout
- ◆ Removable stainless steel blade for easy cleaning
- ◆ Safety interlocking switch stops juicer operation while improperly install

### Optional feature:

- ◆ Extra blender cup to use as a blender

### Parameter

Voltage: 220-240V/50HZ  
Power: 800W



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL: (0086)750 6130021 FAX:(0086)750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com



**GUANGDONG SUNIDEA COMPANY LIMITED**

115,NO.11 HUICHENG QIAOLE ROAD.XINHUI DISTRICT JIANGMEN CITY GUANGDONG,CHINA.

TEL: (0086)750 6130021 FAX:(0086)750 6130023

E-mail: [rocklang@gmail.com](mailto:rocklang@gmail.com) / [sunidea.rock@gmail.com](mailto:sunidea.rock@gmail.com)