



Toaster

2 Slice Toaster Metal YT-2001



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	275x125x17 5	395x290x37 0	6	3960	7980	9900

- 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

2 Slice Toaster Metal YT-2002



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	275x125x17 5	395x290x37 0	6	3960	7980	9900

- 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

2 Slice Toaster Metal YT-2004



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	10	8	285x280x19 2	570x295x39 5	4	1644	3308	3884

- 4 slice toaster • 110-127V/220-240V, 50/60HZ, 1300W
- 7 electronic browning control • Slide out crumb tray

2 Slice Toaster Metal YT-4002



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	9	7	400x125x17 5	395x415x37 0	6	2820	5958	6822

- 4 slice toaster • 110-127V/220-240V, 50/60HZ, 1300W
- 7 electronic browning control • Slide out crumb tray

2 Slice Toaster Metal YT-4001



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	9	7	400x125x17 5	395x415x37 0	6	2820	5958	6822

- 4 slice toaster • 110-127V/220-240V, 50/60HZ, 1300W
- 7 electronic browning control • Slide out crumb tray

2 Slice Toaster Metal YT-2001K



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x17 5	455x280x37 0	6	3576	7140	8610

- 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

2 Slice Toaster Metal YT-2002K



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x17 5	455x280x37 0	6	3576	7140	8610

- 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Shinning Finish) YT-2001B



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	275x125x17 5	395x290x37 0	6	3960	7980	9900

- Stainless steel 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Shinning Finish)

YT-2002B



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	275x125x175	395x290x370	6	3960	7980	9900

- Stainless steel 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Shinning Finish)

YT-2004B



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	10	8	285x280x192	575x295x410	4	1644	3308	3884

- Stainless steel 4 slice toaster • 110-127V/220-240V, 50/60HZ, 1300W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Shinning Finish)

YT-4001B (Stainless steel)



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	9	7	400x125x17 5	395x415x37 0	6	2820	5958	6822

- Stainless steel 4 slice toaster • 110-127V/220-240V, 50/60HZ, 1300W
- 7 electronic browning control • Slide out crumb tra

Stainless Steel (Shinning Finish)

YT-4002B (Stainless steel)



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	9	7	400x125x17 5	395x415x37 0	6	2820	5958	6822

- Stainless steel 4 slice toaster • 110-127V/220-240V, 50/60HZ, 1300W
- 7 electronic browning control • Slide out crumb tra

Stainless Steel (Shinning Finish)

YT-2004AB



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	10	8	285x280x192	575x295x410	4	1644	3308	3884

- Stainless steel 4 slice toaster • 110-127V/220-240V, 50/60HZ, 1300W
- 7 electronic browning control • Slide out crumb tra

Stainless Steel (Shinning Finish)

YT-2001AB



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x175	455x280x370	6	3576	7140	8610

- Stainless steel 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Shinning Finish)

YT-2002AB



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x175	455x280x370	6	3576	7140	8610

- Stainless steel 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

Cool Touch

YT-6001



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x175	455x280x370	6	3576	7140	8610

- Stainless steel 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

Cool Touch
YT-6001K



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x175	455x280x370	6	3576	7140	8610

- Stainless steel 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

Cool Touch
YT-6002



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8	6	287x168x202	524x300x422	6	2382	4800	6300

- Cool touch 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning setting • Slide out crumb tray

Cool Touch
YT-6002A



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8	6	270x160x190	485x280x395	6	3108	6450	7800

- Cool touch 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning setting • Slide out crumb tray

Cool Touch
YT-1002



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	10	8	400x120x220	440x415x460	6	1980	4080	4920

- Cool touch 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

Cool Touch
YT-4001A



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	11	9	400x170x190	510x415x405	6	1920	3900	4800

- Cool touch 4 slice toaster • 110-127V/220-240V, 50/60HZ, 1300W
- 7 electronic browning control • Slide out crumb tray

Cool Touch
YT-2001A



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x175	455x280x370	6	3576	7140	8610

- Cool touch 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

Cool Touch
YT-2002A



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x175	455x280x370	6	3576	7140	8610

- Cool touch 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

Cool Touch
YT-2004A



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	10	8	285x280x192	575x295x410	4	1644	3308	3884

- Cool touch 4 slice toaster • 110-127V/220-240V, 50/60HZ, 1300W
- 7 electronic browning control • Slide out crumb tray

Cool Touch YT-1001



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8.5	7.5	395×125×196	402×382×399	6	2688	5628	6606

- 110-127V/ 220-240V, 50/60HZ • 2 slice cool touch toaster
- 750W • 7 level browning control
- Cool touch housing • Electronic browning control
- Automatically pop up • Middle cancel function
- Reheat and defrost function • Slide out crumb tray

Cool Touch YT-4002A



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	11	9	400×170×190	510×415×405	6	1920	3900	4800

- 110-127V/ 220-240V, 50/60HZ • 4 slice cool touch toaster
- 1300W • 7 level browning control
- Cool touch housing • Electronic browning control
- Automatically pop up • Middle cancel function
- Slide out crumb tray

Cool Touch
YT-2008



Power	G.W. (kg)	N.W. (kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	6	270×165×197	490×275×405	6	3180	6360	7710
750W	9	8	275×162×172	28.3×50×35.5	6	3672	7344	8556

- 110-127V/ 220-240V, 50/60HZ~750W • 2 slice cool touch toaster
- 7 level browning control • Cool touch housing
- Electronic browning control • Automatically pop up
- Middle cancel function • Reheat and defrost function
- Slide out crumb tray

Cool Touch
YT-6006



Power	G.W. (kg)	N.W. (kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	6	270×165×197	490×275×405	6	3180	6360	7710
750W	9	8	275×162×172	28.3×50×35.5	6	3672	7344	8556

- 110-127V/ 220-240V, 50/60HZ~750W • 2 slice cool touch toaster
- 7 level browning control • Cool touch housing
- Electronic browning control • Automatically pop up
- Middle cancel function • Reheat and defrost function
- Slide out crumb tray

Cool Touch
YT-6008



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8	7	268×182×175	275×556×360	6	3372	6744	7800

- 110-127V/ 220-240V, 50/60HZ • 2 slice cool touch toaster
- 750W • 7 level browning control
- Cool touch housing • Electronic browning control
- Automatically pop up • Middle cancel function
- Reheat and defrost function • Slide out crumb tray

Cool Touch
YT-6001K (Stainless steel)



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x175	455x280x370	6	3576	7140	8610

- Stainless steel
- 110-127V/ 220-240V, 50/60HZ, 750W
- 7 electronic browning setting
- Slide out crumb tray

Stainless Steel (Mat Finish)

YT-2001M



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	275x125x175	395x290x370	6	3960	7980	9900

- Stainless steel (mat finish) 2 slice toaster • 110-127V/220-240V, 50/60HZ,750W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Mat Finish)

YT-2002M



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	275x125x175	395x290x370	6	3960	7980	9900

- Stainless steel (mat finish) 2 slice toaster • 110-127V/220-240V, 50/60HZ,750W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Mat Finish)

YT-4001M



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	9	7	400x125x175	395x415x370	6	2820	5958	6822

- Stainless steel (mat finish) 4 slice toaster • 110-127V/220-240V, 50/60HZ,1300W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Mat Finish)

YT-4002M



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1300W	9	7	400x125x175	395x415x370	6	2820	5958	6822

- Stainless steel (mat finish) 4 slice toaster • 110-127V/220-240V, 50/60HZ,1300W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Mat Finish)

YT-2002AM



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x175	455x280x370	6	3576	7140	8610

- Stainless steel (mat finish) 2 slice toaster • 110-127V/220-240V, 50/60HZ,750W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Mat Finish)

YT-2001AM



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	5	270x148x175	455x280x370	6	3576	7140	8610

- Stainless steel (mat finish) 2 slice toaster • 110-127V/220-240V, 50/60HZ,750W
- 7 electronic browning control • Slide out crumb tray

Stainless Steel (Mat Finish)

YT-2001BL (wider slot)



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	275x125x175	395x290x370	6	3960	7980	9900

- Stainless steel (wider) 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- Electronic browning control • slide out crumb tray

Stainless Steel (Mat Finish)

YT-2001 (wider slot)



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	270x148x175	455x280x370	6	3576	7140	8610

- 2 slice toaster wider slot
- 110-127V/220-240V, 50/60HZ, 750W
- Electronic browning control
- slide out crumb tray

Stainless Steel (Mat Finish)

YT-2001B (wider slot)



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	270x148x175	455x280x370	6	3576	7140	8610

- Stainless steel mat finish (wider) 2 slice toaster
- 110-127V/220-240V, 50/60HZ,750W
- 7 electronic browning control
- Slide out crumb tray

SPRAY COLORFUL

YT-2008



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7	6	270x165x197	490x275x405	6	3180	6360	7710

- 110-127V/ 220-240V, 50/60HZ→750W • 2 slice cool touch toaster
- 7 level browning control • Cool touch housing
- Electronic browning control • Automatically pop up
- Middle cancel function • Reheat and defrost function
- Slide out crumb tray

Add:115, NO. 11 HUICHENG QIAOLE ROAD. XINHUI DISTRICT JIANGMEN CITY GUANGDONG, CHINA
Tel:+86 750 6130021 Fax:+86 750 6130023 E-mail: rocklang@gmail.com & sunidea.rock@gmail.com

SPRAY COLORFUL
YT-2002



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	275x125x175	395x290x370	6	3960	7980	9900

- 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

SPRAY COLORFUL
YT-2001



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	6	5	275x125x175	395x290x370	6	3960	7980	9900

- 2 slice toaster • 110-127V/220-240V, 50/60HZ, 750W
- 7 electronic browning control • Slide out crumb tray

**SPRAY COLORFUL
YT-6008**



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	7.5	6.5	268×182×175	275×556×360	6	3372	6744	7800

- 110-127V/ 220-240V, 50/60HZ • 2 slice cool touch toaster
- 750W • 7 level browning control
- Cool touch housing • Electronic browning control
- Automatically pop up • Middle cancel function
- Reheat and defrost function • Slide out crumb tray

**SPRAY COLORFUL
YT-6006**



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8	7	275×162×172	28.3×50×35.5	6	3672	7344	8556

- 110-127V/ 220-240V, 50/60HZ→750W • 2 slice cool touch toaster
- 7 level browning control • Cool touch housing
- Electronic browning control • Automatically pop up
- Middle cancel function • Reheat and defrost function
- Slide out crumb tray

**SPRAY COLORFUL
YT-6001KS**



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8	7	270x148x175	455x280x370	6	3576	7140	8610

- Stainless steel
- 110-127V/ 220-240V, 50/60HZ, 750W
- 7 electronic browning setting
- Slide out crumb tray

**Sandwich maker
YT-5001**



2 slice sandwich maker

Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
650W	6.5	5	250x102x238	320x260x490	6	4200	8400	10008

- 110-127V/ 220-240V, 50/60HZ, 650W • Sandwich/grill/waffle plates available
- non-stick coating • easy to clean
- heat insulated handle • locking system thermostatically controlled
- safety thermal cut-out and thermo use • 2 pilot lights for power and heating

Sandwich Maker YT-5002



2 slice sandwich maker

Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
650W	6.5	5	254×100× 245	316×264× 510	6	4140	8280	9714

- 110-127V/ 220-240V, 50/60HZ, 650W • Sandwich/grill/waffle plates available
- non-stick coating • easy to clean
- heat insulated handle • locking system thermostatically controlled
- safety thermal cut-out and thermo use • 2 pilot lights for power and heating

Sandwich Maker YT-7001



2 slice sandwich maker

Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8.6	6.8	260×108× 250	340×270× 515	6	3702	7500	8628

- 110-127V/ 220-240V, 50/60HZ, 750W • Sandwich/grill/waffle plates available
- non-stick coating • easy to clean
- heat insulated handle • locking system thermostatically controlled
- safety thermal cut-out and thermo use • 2 pilot lights for power and heating

Add:115, NO. 11 HUICHENG QIAOLE ROAD. XINHUI DISTRICT JIANGMEN CITY GUANGDONG, CHINA
Tel:+86 750 6130021 Fax:+86 750 6130023 E-mail: rocklang@gmail.com & sunidea.rock@gmail.com

Sandwich Maker

YT-7002



2 slice sandwich maker

Power	G.W. (kg)	N.W. (kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8.6	6.8	256×114×250	356×270×520	6	3300	6960	8160

- 110-127V/ 220-240V, 50/60HZ, 750W • Sandwich/grill/waffle plates available
- non-stick coating • easy to clean
- heat insulated handle • locking system thermostatically controlled
- safety thermal cut-out and thermo use • 2 pilot lights for power and heating

Sandwich Maker

YT-8001



2 slice sandwich maker

Power	G.W. (kg)	N.W. (kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8.6	6.8	256×114×250	356×270×520	6	3300	6960	8160

- 110-127V/ 220-240V, 50/60HZ, 750W • Sandwich/grill/waffle plates available
- non-stick coating • easy to clean
- heat insulated handle • locking system thermostatically controlled
- safety thermal cut-out and thermo use • 2 pilot lights for power and heating

Sandwich Maker

YT-8002



2 slice sandwich maker

Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8.6	6.8	260×108×250	340×270×515	6	3402	7500	8628

- 110-127V/ 220-240V, 50/60HZ, 750W • Sandwich/grill/waffle plates available
- non-stick coating • easy to clean
- heat insulated handle • locking system thermostatically controlled
- safety thermal cut-out and thermo use • 2 pilot lights for power and heating

Sandwich Maker

YT-8003



2 slice sandwich maker

Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
750W	8.6	6.8	256×114×250	356×270×520	6	3300	6960	8160

- 110-127V/ 220-240V, 50/60HZ • Sandwich/grill/waffle plates available
- non-stick coating • easy to clean
- heat insulated handle • locking system thermostatically controlled
- safety thermal cut-out and thermo use • 2 pilot lights for power and heating

Sandwich Maker YT-9001



4 slice sandwich maker

Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1400W	9.5	7	300×130× 350	545×310× 365	4	1804	3608	4408

- 110-127V/ 220-240V, 50/60HZ • Sandwich/grill/waffle plates available
- non-stick coating • easy to clean
- heat insulated handle • locking system thermostatically controlled
- safety thermal cut-out and thermo use • 2 pilot lights for power and heating

Raclatte YP-500



Raclette
YP-500M



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
400W	14	10	297x120x11 2	375x310x46 0	12	6240	13056	15000

• Mini Raclette • AC 220-240V~50Hz 400W

Electric hot plate
YP-600M



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
1000W	13.5	11.5	297x120x11 2	560x280x46 0	12	4800	9600	11280

• Mini Raclette • AC 220-240V~50Hz 1000W

Add:115, NO. 11 HUICHENG QIAOLE ROAD. XINHUI DISTRICT JIANGMEN CITY GUANGDONG, CHINA
Tel:+86 750 6130021 Fax:+86 750 6130023 E-mail: rocklang@gmail.com & sunidea.rock@gmail.com

Electric hot plate
YP-600



Power	G.W.(kg)	N.W.(kg)	Box Meas(mm)	Ctn Meas(mm)	PCS/CTN	PCS/20'	PCS/40'	PCS/40'HQ
2000W	13.5	11.5	297x120x11 2	505x320x30 5	4	2360	4916	5680

• Mini Raclette • AC 220-240V~50Hz 2000W