



Tower fans



GUANGDONG SUNIDEA COMPANY LIMITED

115, NO. 11 HUICHENG QIAOLE ROAD, XINHUI DISTRICT, JIANGMEN CITY, GUANGDONG, CHINA.

TEL: (0086) 750 6130021 FAX: (0086) 750 6130023

E-mail: rocklang@gmail.com / sunidea.rock@gmail.com

GUANGDONG SUNIDEA CO., LIMITED

Gliding Grille Tower Fan Series

旋网式大厦扇系列

Elegance


优雅·高贵

在追求时尚和品味的今天，风扇不仅为人们带来清凉和舒适，其美观、独特的外型更成为人们家居设计的新追求。山湖电器设计的旋网扇系列，为人们提供了一个新颖的、高品质的、人性化的、环保的家用电器新标准，成为时尚家饰的首选。山湖电器首创独特的网栅旋转送风，使用起来更宁静、更安全、更耐用；该崭新的摇摆设计保证了产品的最佳送风角度，被专家评定为领先地位。斜身旋网扇是旋网扇系列中的一款，其独特的斜身送风角度，有效地将凉风往上吹送，并且因其设计风格简约时尚、占用空间少、节能环保，人们在享受清凉的同时，更大大提升了生活质量。


Electric fan is no longer just a utility to generate cool and comfort. Thanks to the tower fan, it becomes home deco for modern household. Shanhu succeeded in realizing a new oscillation mechanism, the patented "Gliding Grille" oscillation, delivering the airflow without moving the fan body but only its grille, showing its elegance, optimal rigidity, and absolute safety by its unique construction.



铝合金装饰金属功能按钮
Brushed stainless steel finished buttons




专利网栅摇摆送风形式
The award-winning "Gliding Grille" oscillation



铝合金装饰边
Aluminum alloy side support

首创大厦扇网栅摇摆送风模式，荣获多项实用新型及外观注册专利，与众不同，经专家鉴定该技术处于国内同行业领先水平。产品使用起来更宁静、安全、节能、耐用。

The award-winning "Gliding Grille" (GG) tower fan, with Utility patents on Front-Grille oscillation and certain areas, was named a leading position in tower fan mechanism. The new extraordinary oscillation mechanism provides an absolute safety in tower fan, together with its quiet and smooth grille movement.



■ 发明专利 ■ 外观专利 ■ 使用新型专利

Gliding Grille Tower Fan Series
旋网式大厦扇系列



金属原色旋网扇

The color of Aluminum Side Support: Original Metal



立体黑胡桃木纹特别版

The color of Aluminum Side Support: Black Walnut



立体白橡木木纹特别版

The color of Aluminum Side Support: White Oak

名称: 铝合金旋网扇
型号: X02B
功率: 40W
高度: 1030mm
风轮直径: 102mm

Name: Aluminum Gliding Grille Tower Fan
Model: X02B
Power: 40W
Height: 1030mm / 41 in
Diameter of fan blower: 102mm

功能特点
Features



铝合金装饰边金属功能按键加上蓝色LED灯, 彰显高贵优雅
Aluminum alloy side support with brushed metal button, plus blue LED lights, brings in elegance to your home decoration



可调角度底座, 轻易改变送风角度, 送风区域更宽广
Manual adjustable fan angle provides user-friendly operations



超大送风角度115度, 恰到好处
115 degrees of wide oscillation angle



可拆式后网, 便于清洁
Manual adjustable fan angle provides user-friendly operations



模拟自然风、睡眠风、正常风, 多种选择模式
Natural wind, sleeping wind, and normal wind



0.5~7.5小时定时, 随心所选
0.5 ~ 7.5 hours timer, multi-timer optional



红外线感应带遥控, 使用便捷
Infrared remote control

边框色彩
个性选择
Shanhu exclusive
individual paints



Gliding Grille Tower Fan Series
旋网式大厦扇系列



LCD液晶旋网扇

Aluminum Gliding Grille Tower Fan with LCD display

名称: LCD液晶旋网扇
型号: X02D
功率: 40W
高度: 1030mm
风轮直径: 102mm

Name: Aluminum Gliding Grille Tower Fan with LCD display
Model: X02D
Power: 40W
Height: 1030mm / 41 in
Diameter of fan blower: 102mm

功能特点
Features



蓝光LCD液晶显示屏幕, 多项功能一目了然
Blue LCD display



微电脑感温系统, 可根据室温自动调节风量大小
Automatic Temperature Control (ATC) adjusts



风力强劲, 感受清凉
Wind volume subject to room temperature



New

高身旋网扇

1.2M Gliding Grille Tower Fan

名称: 高身旋网扇
型号: X02B-H
功率: 40W
高度: 1200mm
风轮直径: 102mm

Name: 1.2M Gliding Grille Tower Fan
Model: X02B-H
Power: 40W
Height: 1200mm / 47 in
Diameter of fan blower: 102mm

功能特点
Features



1.2米高度设计, 高贵大方, 突显气派
Elegant and luxurious



适合餐厅、商店或公共场所使用
Suitable for dining room, store and public areas



配置LCD液晶显示屏幕(仅X02D-H型号)和金属功能按键
LCD display(X02D-H)or brushed metal button




New

LCD液晶高身旋网扇

1.2M Gliding Grille Tower Fan with LCD display

名称: 高身LCD液晶旋网扇
型号: X02D-H
功率: 40W
高度: 1200mm
风轮直径: 102mm

Name: 1.2M Gliding Grille Tower Fan with LCD display
Model: X02D-H
Power: 40W
Height: 1200mm / 47 in
Diameter of fan blower: 102mm



Gliding Grille Tower Fan Series 旋网式大厦扇系列




网栅旋转送风
Grille oscillation




design
award
china

2009



独有扇身倾斜10度，风格简约时尚，有效将凉风往上升，带到全身，且占空间少，适合房间和办公室使用！

Unique inclined 10 degree fan body - the airflow climbs up due to the incline angle, to deliver wind to suitable seating height. Fashionable, space-saving, suitable for dining room, coffee shop or office.



New
斜身旋网扇
Inclined Gliding Grille Tower Fan

名称: 斜身旋网扇
型号: X01B
功率: 40W
高度: 865mm
风轮直径: 90mm

Name: Inclined Gliding Grille Tower Fan
Model: X01B
Power: 40W
Height: 865mm / 35in
Diameter of fan blower: 90mm



New
直身旋网扇
Gliding Grille Tower Fan

名称: 直身旋网扇
型号: X01A
功率: 40W
高度: 1100mm
风轮直径: 90mm

Name: Gliding Grille Tower Fan
Model: X01A
Power: 40W
Height: 1100mm / 44in
Diameter of fan blower: 90mm

功能特点 Features



网栅摇摆送风，超宁静，更安全
The new oscillation mechanism provides an absolute safety in tower fan, with its quiet and smooth grille movement



时尚独特外型设计，配对时尚家居装饰
Fashionable and unique design match with stylish home decoration



模拟自然风、睡眠风、正常风，多种选择模式
Natural wind, sleeping wind, and normal wind



0.5~7.5小时定时，随心所选
0.5 ~ 7.5 hours timer, multi-timer optional



红外线感应带遥控，使用便捷
Infrared remote control

INTERNAL Oscillation Tower Fan Series 内摇摆大厦扇系列



液压打开面盖
Sliding Top Cover



遥控器
Remote Control



纤体扇 Slim Fan

名称: 纤体扇
型号: FZ09-54B / FZ09-54BI
功率: 35W
高度: 1050mm
风轮直径: 90mm

Name: Slim Fan
Model: FZ09-54B / FZ09-54BI
Power: 35W
Height: 1050mm
Diameter of fan blower: 90mm



空气扇
Air Fan



空气扇(带负离子)
Air Fan with Ionizer



空气扇(带水箱)
Air Fan with Water Tank

名称: 空气扇
型号: FZ09-54A2 / FZ09-54AI / FZ09-54AW
功率: 35W / 35W / 50W
高度: 888mm / 1200mm / 1200mm
风轮直径: 90mm

Name: Air Fan
Model: FZ09-54A2 / FZ09-54AI / FZ09-54AW
Power: 35W / 35W / 50W
Height: 888mm / 1200mm / 1200mm
Diameter of fan blower: 90mm

功能特点 Features



可选择无负离子 (FZ09-54B) 或带负离子功能 (FZ09-54BI) ionizer function can be selected



轻触式按键
Soft touch keys



内摇摆角度超过60度
Over 60° wind delivery angle



高、中、低三档风速
High, Med., Low, three speeds



0.5~7.5小时定时, 随心所选
0.5 ~ 7.5 hours timer, multi-timer optional



红外线感应带遥控, 使用便捷
Infrared remote control



模拟自然风、正常风, 多种选择模式
Normal wind and Natural wind



可选择无负离子 (FZ09-54A2) 或带负离子功能 (FZ09-54AI) 或带水箱功能 (FZ09-54AW) ionizer and water tank function can be selected.



隐蔽式遥控器盒
Concealed remote controller



可选择带水箱功能
Water tank function can be selected

水箱可加香薰或冰块, 让您享受与众不同
The water tank can be put some fragrance and ice block, make you feel more comfortable.



Classic Tower Fan Series

传统大厦扇系列



健乐扇 MateY Fan

功能特点 Features

-  蓝色LED液晶显示屏, 多项功能一目了然
Blue LED Display Integrated into the Stylish Design
-  微电脑感温系统, 可根据室温自动调节风量大小
Automatic Temperature Control (ATC) adjusts wind volume subject to room temperature
-  风力强劲, 感受清凉
High wind volume for the demand of airflow or air circulation
-  电子温度显示
Electric temperature display
-  摇摆功能
Oscillation
-  模拟自然风、睡眠风、正常风, 多种选择模式
Natural wind, sleeping wind, and normal wind
-  0.5~7.5小时定时, 随心所选
0.5 ~ 7.5 hours timer, multi-timer optional
-  红外线感应带遥控, 使用便捷
Infrared remote control

名称: 健乐扇	Name: MateY Fan
型号: FZ12-48A3	Model: FZ12-48A3
功率: 50W	Power: 50W
高度: 1000mm	Height: 1000mm / 40 in.



超宝扇 SuPer Fan

功能特点 Features

-  1米高度设计, 适合多种场合使用
1M height design, suitable for many occasions
-  强风设计, 更适合较大的空间及办公地方使用
Stronger-wind design for spacious environment and office
-  模拟自然风、睡眠风、正常风, 多种选择模式
Natural wind, sleeping wind, and normal wind
-  0.5~7.5小时定时, 随心所选
0.5 ~ 7.5 hours timer, multi-timer optional
-  红外线感应带遥控, 使用便捷
Infrared remote control

名称: 超宝扇	Name: Super Fan
型号: FZ25-50A	Model: FZ25-50A
功率: 50W	Power: 50W
高度: 1020mm	Height: 1020mm / 41 in.

Classic Tower Fan Series

传统大厦扇系列



笔形扇 Pen Fan



迷你扇 Gemini Fan



帆船扇 Yacht Fan

功能特点
Features

-  旋钮式调节功能(仅F03A/FZ09-54D)
Knob key to select the wind speed
-  琴键开关, 无定时(仅FZ09-45A)
Piano switch, no timer
-  摇摆角度超过60度
Over 60° oscillation angle
-  高、中、低三档风速
High, Med., Low, three speeds

名称: 笔形扇	Name: Pen Fan
型号: F03A	Model: F03A
功率: 25W	Power: 25W
高度: 925mm	Height: 925mm / 36in

名称: 迷你扇	Name: Gemini Fan
型号: FZ09-54D	Model: FZ09-54D
功率: 40W	Power: 40W
高度: 780mm	Height: 780mm / 31in

名称: 帆船扇	Name: Yacht Fan
型号: FZ09-45A	Model: FZ09-45A
功率: 35W	Power: 35W
高度: 743mm	Height: 743mm / 29in

Classic Tower Fan Series

传统大厦扇系列



裕宝扇(机械式)

Intelligent Fan (with mechanical)

裕宝扇(遥控式)

Intelligent Fan (with remote)

功能特点 Features

-  LED数码显示及自动温度调节
LED numeral display and Automatic Temperature Control (ATC) adjusts
-  负离子功能, 空气更清新
Air refreshing ionizer
-  电子温度显示
Electric temperature display
-  摇摆功能
Oscillation
-  模拟自然风、睡眠风、正常风, 多种选择模式
Natural wind, sleeping wind, and normal wind
-  1~8小时定时, 随心所选
1~8 hours timer, multi-timer optional
-  红外线感应带遥控, 使用便捷
Infrared remote control

名称: 裕宝扇
型号: FZ11-46A / FZ11-46A3I
功率: 40W
高度: 828mm

Name: Intelligent Fan
Model: FZ11-46A / FZ11-46A3I
Power: 40W
Height: 828mm / 33 in.

Classic Tower Fan Series

传统大厦扇系列



贝宝扇(机械式)

Shell Tower (with mechanical)





贝宝扇(遥控式)

Shell Tower (with remote)

名称: 贝宝扇
型号: FZ20-40F3 / FZ20-40F
功率: 40W
高度: 830mm

Name: Shell Tower
Model: FZ20-40F3 / FZ20-40F
Power: 40W
Height: 830mm / 33 in

功能特点
Features

-  贝壳形状设计, 时尚简约
Concept of shell, stylish, modern, subtle shell tower
-  机械式操作, 简单易用(仅适用于FZ20-40F)
Mechanical operation
-  高、中、低三档风速
High, med., low, three speeds

-  0.5~7.5小时定时(FZ20-40F3),
和2小时定时(FZ20-40F), 随心所选
0.5 ~ 7.5 hours timer or 2 hours timer
-  红外线感应带遥控, 使用便捷(仅适用于FZ20-40F3)
Infrared remote control


Shanhu Tower Fan 山湖大厦扇

精湛工艺
为您缔造 优质生活

Precision
Better Quality Better Life

Classic Tower Fan Series


传统大厦扇系列



清雅扇(不带定时器)
Ching Fan (without timer)

名称: 清雅扇
型号: FZ09-54C2 (不带定时器)
功率: 40W
高度: 792mm


Name: Ching Fan (without timer)
Model: FZ09-54C2
Power: 40W
Height: 792mm / 31in



清雅扇(带定时器)
Ching Fan (with timer)

名称: 清雅扇
型号: FZ09-54C (带定时器)
功率: 40W
高度: 970mm

Name: Ching Fan (with timer)
Model: FZ09-54C
Power: 40W
Height: 970mm / 38in



清乐扇(机械式)
Ching Fan (with mechanical)

名称: 清乐扇
型号: F02A
功率: 30W
高度: 682mm


Name: Ching Fan (with mechanical)
Model: F02A
Power: 30W
Height: 682mm / 27in

功能特点
Features

-  纤细、简约的设计理念, 节省空间
Lofty and Subtle Design for Space-Saving
-  物美价廉, 性价比高
Great value for money
-  3种高度可供选择
3 Height levels available
-  高、中、低三档风速, 机械开关控制
Three speeds, Mechanical switch control
-  摇摆角度超过60度
Over 60° Oscillation
-  可选定时器功能(仅FZ09-54C)
Timer

Classic Tower Fan Series

传统大厦扇系列



美乐扇
Breeze Fan




紫罗兰色版
Violeaceous version




橘红色版
Orange version



翠绿色版
Emerald version



秀乐扇
Breeze Fan



幸乐扇
Fortuna Fan

名称: 美乐扇 型号: FZ25-50D 功率: 50W 高度: 860mm	Name: Breeze Fan Model: FZ25-50D Power: 50W Height: 860mm / 34in
---	---

名称: 秀乐扇 型号: F01A 功率: 40W 高度: 830mm	Name: Breeze Fan Model: F01A Power: 40W Height: 830mm / 33in
---	---

名称: 幸乐扇 型号: FZ10-53A 功率: 45W 高度: 855mm	Name: Fortuna Fan Model: FZ10-53A Power: 45W Height: 855mm / 34in
---	--

功能特点
Features



轻触式按键
Soft touch keys



摇摆角度超过60度
Over 60° oscillation angle



高、中、低三档风速
High, Med., Low, three speeds



模拟自然风、睡眠风、正常风, 多种选择模式
Natural wind, sleeping wind, and normal wind



0.5~7.5小时定时, 随心所选
0.5~7.5 hours timer, multi-timer optional



红外线感应带遥控, 使用便捷
Infrared remote control



面盖翻盖内可放遥控器(仅适合于美乐扇)
The remote controller can be put into the top cabinet
(Only for Beauty Fan)

Classic Tower Fan Series

传统大厦扇系列

炎炎夏日
同样感受
秋天一样的舒爽



汇宝扇 Poly Fan

功能特点 Features

-  双风叶设计, 风力强劲, 可单独控制每一页
Twin propeller fan yields high wind volume and air circulation
-  非凡高贵的外观设计
Exclusive design
-  电子控制面板
Electronic control panel
-  外壳可与风轮颜色搭配
Different color matching for fan housing and blades
-  摇摆功能
Oscillation
-  LED 显示功能
LED display
-  模拟自然风、睡眠风、正常风, 多种选择模式
Natural wind, sleeping wind, and normal wind
-  0.5~7.5小时定时, 随心所选
0.5 ~ 7.5 hours timer, multi-timer optional
-  红外线感应带遥控, 使用便捷
Infrared remote control

名称: 汇宝扇
型号: FLN250A
功率: 55W
高度: 1012mm

Name: Poly Fan
Model: FLN250A
Power: 55W
Height: 1012mm / 40in

- PTC陶瓷暖风机
PTC Tower Heater
- 石英管暖风机
Quartz Heater
- 碳纤维暖风机
Carbon Fiber Heater

温暖多一点，
温馨多一点。



强·劲制暖

舒适·高效·健康·节能

PTC Heater Series PTC 暖风机系列

PTC高效取暖
-Efficient PTC heating element

风扇辅助送暖
-Fan-Force heat

超温过热双重保护
-Dual overheating protection

New

功能特点 Features

- 花瓶式外形设计, 时尚高贵
 - 触控设计, 使用便捷
 - 双重过热保护, 倾倒自动断电
 - 进口防火塑料外壳, 耐高温不变性
 - 高能PTC发热, 低噪铝合金风轮送风
 - 高低两档功率, 能效高
- Vase shape design, elegant and graceful.
 - Soft touch design, convenient to use.
 - Dual overheating protection function, thermo cutoff and Incline cut-off protection.
 - Imported fire-retardant plastic housing, high temperature resistant.
 - High-efficiency PTC heating element. Aluminum propeller delivers safer and lower noise warmth.
 - High and low power to select, high energy efficiency.



象牙白色版立柱式暖风机
PTC Tower Heater (white version)

黑色版立柱式暖风机
PTC Tower Heater (black version)

名称: 立柱式暖风机 (遥控式)
型号: NZ28-60C
功率: 1500W / 750W (两档暖风功率可调节)
高度: 563mm

Name: PTC Tower Heater (Remote control)
Model: NZ28-60C
Power: 1500W / 750W (Two power optional)
Height: 563mm



花瓶式暖风机
Vase Tower Heater

名称: 花瓶式暖风机
型号: NZ23-57A
功率: 1500W / 750W (两档功率可调节)
高度: 575mm

Name: Vase Tower Heater
Model: NZ23-57A
Power: 1500W / 750W (Two power optional)
Height: 575mm

功能特点 Features

- 立柱式流线型设计, 典雅大方
 - 触控设计, 远距离红外遥控
 - 0.5~7.5小时定时功能, 两档功率随意调节, 更节能
 - 双重过热保护, 倾倒自动断电
 - 高能PTC发热, 低噪铝合金风轮
 - 超大出风口, 90度广角送暖, 升温迅速
 - 可拆式滤网设计, 洁净室内空气
- Tower design, elegant and graceful.
 - Soft touch design, infrared remote control.
 - 0.5~7.5 hours timer, 2 speeds of power to select, energy saving.
 - Dual overheating protection function, thermo cutoff and Incline cut-off protection.
 - High-efficiency PTC heating element. Aluminum propeller delivers safer and lower noise warmth.
 - Wide air outlet, 90 degree heat transfer, wide heating area.
 - Cleanable rear grille collects indoor dust and hair.

Radiant Quartz Heater Series

石英管暖风机系列



箱式石英管暖风机
Box-type Radiant Quartz Heater

名称：箱式石英管暖风机
型号：NZ48-67A
功率：1500W / 1000W / 500W (三档暖风功率可调节)
高度：540mm

Name: Box-type Radiant Quartz Heater
Model: NZ48-67A
Power: 1500W / 1000W / 500W (Three power optional)
Height: 540mm

功能特点 Features

- 箱式外形，设计大方，适用于多种场合
- 新一代石英管发热元件，升温更迅速
- 三档功率，可随意调节；内置风扇送风，升温迅速均匀
- 双重过热保护，倾倒自动断电
- 温控功能，随意调节室温，更节能
- 滑轮设计，移动便捷

- Box appearance design, artistic figure, suitable for different occasions.
- Use innovative Quartz core as heating element, temperature rises rapidly.
- 3 speeds of power to select, with circulating fan inside.
- Dual overheating protection function, thermo cutoff and Incline cut-off protection.
- Temperature control variety, energy saving.
- Chain wheel for moving easily.

石英管取暖器特点:

亦称石英管红外线取暖器，利用红外线加热节能技术，使远红外辐射元件发出的远红外线被物体吸收，直接变为热能而达到取暖目的。同时远红外线又对人体产生理疗作用。

Quartz tube heater's feature:

Also known as infrared radiation heater, using infrared radiation heating and energy-saving technology, the infrared radiation is absorbed by object, and changes into heat energy. At the same time, it can provide the health care function of physiotherapy.

New



箱式碳纤维管暖风机
Box-type Carbon Fiber Heater

名称：箱式碳纤维管暖风机
型号：NZ48-67A
功率：1500W / 1000W / 500W (三档暖风功率可调节)
高度：540mm

Name: Box-type Carbon Fiber Heater
Model: NZ48-67A
Power: 1500W / 1000W / 500W (Three power optional)
Height: 540mm

- 箱式外形，设计大方，适用于多种场合
- 新型远红外碳纤维发热管，能效高
- 内置风扇送风，升温迅速均匀
- 三档功率，可随意调节
- 双重过热保护，倾倒自动断电
- 温控功能，随意调节室温，更节能
- 滑轮设计，移动便捷

Carbon Fiber Heater Series

碳纤管暖风机系列

Carbon Fiber Heater Series 碳纤维暖风机系列



遥控式碳纤维暖风机

Carbon Fiber Heater (with remote control)



机械式碳纤维暖风机(红色版)

Mechanical Carbon Fiber Heater (red version)



机械式碳纤维暖风机(金属灰色版)

Mechanical Carbon Fiber Heater (metal grey version)

名称: 遥控式碳纤维暖风机
型号: NZ18-56A
功率: 1000W
高度: 564mm

Name: Carbon Fiber Heater (with remote control)
Model: NZ18-56A
Power: 1000W
Height: 564mm

功能特点 Features

- 立柱式外观设计, 节省空间
- 经典时尚中国红/金属灰, 高贵典雅
- 新型碳纤维远红外发热
- 触控设计, 远距离红外遥控
- 双重过热保护, 倾倒自动断电
- 实用专利技术, 延长使用寿命
- 低噪铝合金风轮送暖, 实现室内空气循环对流

- Tower appearance design, space-saving.
- Fashionable sprayed red and grey color.
- Use innovative infrared carbon fiber as heating element.
- Soft touch design, infrared remote control.
- Dual overheating protection function, thermo cutoff and Incline cut-off protection.
- Utility patent technology, extend the life-span.
- Aluminum propeller delivers safer and lower noise warmth.

名称: 机械式碳纤维暖风机
型号: NZ18-56B
功率: 1000W
高度: 564mm

Name: Carbon Fiber Heater (with mechanical)
Model: NZ18-56B
Power: 1000W
Height: 564mm

功能特点 Features

- 立柱式外观设计, 节省空间
- 经典时尚中国红/金属灰, 高贵典雅
- 新型碳纤维远红外发热
- 双重过热保护, 倾倒自动断电
- 进口防火塑料外壳, 耐高温不变形
- 90度广度送热, 送热面更广
- 低噪铝合金风轮送暖, 促进室内空气循环对流

- Tower appearance design, space-saving.
- Fashionable sprayed red and grey color.
- Use innovative infrared carbon fiber as heating element.
- Dual overheating protection function, thermo cutoff and Incline cut-off protection.
- Imported fire protection plastic housing, high temperature resistant.
- 90 degree heat transfer, wide heating area.
- Aluminum propeller delivers safer and lower noise warmth.



型号 Model	X02B	X02D	X02B-H	X02D-H	X01A	X01B	FZ09-54B	FZ09-54A7	FZ09-54A1	FZ09-54AW	FZ11-46A31	FZ11-46A	FZ20-40F3	FZ20-40F
名称 Name	铝合金旋网扇 Aluminum Gliding Grille Tower Fan	LCD液晶旋网扇 Aluminum Gliding Grille Tower Fan with LCD Display	高身旋网扇 T2M Gliding Grille Tower Fan	高身旋网扇 T2M Gliding Grille Tower Fan with LCD Display	直身旋网扇 Gliding Grille Tower Fan	斜身旋网扇 Inclined Gliding Grille Tower Fan	纤体扇 Slim Fan	空气扇 Air Fan	空气扇(带负离子) Air Fan with Ionizer	空气扇(带水箱) Air Fan with Water Tank	智宝扇(遥控式) Intelligent Fan (with remote)	智宝扇(机械式) Intelligent Fan (with mechanical)	贝宝扇(遥控式) Shell Tower (with remote)	贝宝扇(机械式) Shell Tower (with mechanical)
功率 Power	40W	40W	40W	40W	40W	40W	35W	35W	35	50W	40W	40W	40W	40W
高度 Height	1030mm	1030mm	1200mm	1200mm	1100mm	865mm	1050mm	888mm	1200mm	1200mm	828mm	828mm	830mm	830mm
风轮直径 Diameter of fan blower	102mm	102mm	102mm	102mm	90mm	90mm	90mm	90mm	90mm	90mm	106mm	106mm	102mm	102mm



型号 Model	FZ12-48A3	FZ25-50A	FZ09-54C	FZ09-54CZ	F02A	FZ25-50D	F01A	FZ10-53A	FZ09-54D	F03A	FZ09-45A	FLN250A	NZ28-60C(象牙白)	NZ28-60C(黑色)
名称 Name	魅乐扇 Maitey Fan	超宝扇 Super Fan	清雅扇(带定时器) Ching Fan (with timer)	清雅扇(不带定时器) Ching Fan (without timer)	澳乐扇(机械式) Ching Fan (with mechanical)	澳乐扇 Breeze Fan	秀乐扇 Breeze Fan	幸运扇 Fortuna Fan	迷你扇 Gmini Fan	笔形扇 Pen Fan	帆船扇 Yachi Fan	汇宝扇 Poly Fan	立柱式暖风机 PTC Tower Heater (White version)	立柱式暖风机 PTC Tower Heater (Black version)
功率 Power	50W	50W	40W	40W	30W	50W	40W	45W	40W	30W	35W	55W	1500W	1500W
高度 Height	1000mm	1020mm	970mm	792mm	682mm	860mm	830mm	855mm	780mm	925mm	743mm	1012mm	563mm	563mm
风轮直径 Diameter of fan blower	112mm	132mm	90mm	90mm	90mm	106mm	102mm	102mm	90mm	80mm	90mm	240mm	Ø72 x 300mm	Ø72 x 300mm



型号 Model	NZ23-57A	NZ18-56A	NZ18-56B(红色)	NZ18-56B(金属灰色)	NZ48-67A	NZ48-67A
名称 Name	花瓶式暖风机 Vase Tower Heater	遥控式碳纤维暖风机 Carbon Fiber Heater (with remote control)	机械式碳纤维暖风机 Mechanical Carbon Fiber Heater(Red version)	机械式碳纤维暖风机 Mechanical Carbon Fiber Heater(Metal grey version)	箱式碳纤维暖风机 Box-type Carbon Fiber Heater	箱式石英暖风机 Box-type Radiant Quartz Heater
功率 Power	1500W	1000W	1000W	1000W	1500W	1500W
高度 Height	575mm	564mm	564mm	564mm	540mm	540mm
风轮直径 Diameter of fan blower	Ø72 x 290mm	Ø60 x 296mm	Ø60 x 296mm	Ø60 x 296mm	Ø150 x 35mm	Ø150 x 35mm

产品技术参数一览表

本公司保留更改产品设计及规格而不另行通知的权利,以上各型号产品功能数据如有变动请以说明书为准。
印刷可能是资料内产品跟实物有轻微差别,所有资料经过仔细校对,如有任何印刷错误,本公司不承担因此产生的后果。
All product functions and specifications might be different and are subject to confirmation from the company.